



Content

| About Blue Ocean® | 1-3 |
|----------------------------|--------|
| Kitchen & Bath Collections | |
| Shower Panel | 5 - 17 |
| Kitchen Sink | 18 - 2 |
| Range Hood | 25 - 3 |







The Home Budget Houseware Inc.

Established in 2006, our company offers a diverse range of premium home fixtures, regularly updating our online inventory to include items like shower panels, range hoods, sinks, and door handles. We've adapted to changing market trends, ensuring you receive the best in both quality and affordability. Constructing a dream home is a significant endeavor, and we aim to simplify that process for you. Our reputation is built on customer satisfaction. Just like you, we value a perfect blend of style and comfort in our homes. By providing top-tier products at competitive prices, we strive to be your go-to partner in crafting your dream space.

Blue Ocean - The Ultimate Kitchen & Bath Collections

For exceptional performance and reliability in large kitchen appliances and bathroom fixtures, Blue Ocean stands out as a premier choice for those seeking long-lasting durability.



Kitchen Sink

Our sleek, high-end stainless steel sinks offer multiple design choices of top mount, under-mount, single, and double bowl. Made from top quality 16 or 18 gauge stainless steel. All sinks come with free strainers or strainers and grids.



Range Hood

You'll be spoiled for choice with our spectacular selection of sleek and contemporary stainless steel range hoods designed to for optimal performance. Models available in wall, under cabinet, or island mount to fit any kitchen.



Shower Panel

Our luxurious spa panels provide elegant decor accents and prevent water splash against the walls. Sleek and elegant, the rainfall sensation offers an at-home spa experience. Simple to install to create a high-end, contemporary look to your bathroom.







Shower Panel

Blending elegance with efficiency, our shower panel offers a pristine, pleasurable experience, redefining your daily rainfall.



SPA392M


- 8 Adjustable Body Massage Nozzles with 2 modes (Jet & Mist)
- Multi-functional non-clogging handheld shower head
- Built-in LED temperature display
- Sturdy back-reinforced pipes





Specifications

| Materials | Aluminum Alloy |
|-------------------------|-------------------------|
| Finish | Metallic Tempered Glass |
| Body Mist Jets/Nozzles | 8 Jets |
| Jets Configuration | Rotatable |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 50 Inches (1270 mm) |
| Width | 10 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 32 lbs |



SPA392B


- 8 Adjustable Body Massage Nozzles with 2 modes (Jet & Mist)
- Multi-functional non-clogging handheld shower head
- Built-in LED temperature display
- Sturdy back-reinforced pipes








| Materials | Aluminum Alloy |
|-------------------------|-------------------------|
| Finish | Metallic Tempered Glass |
| Body Mist Jets/Nozzles | 8 Jets |
| Jets Configuration | Rotatable |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 50 Inches (1270 mm) |
| Width | 10 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 32 lbs |







SPS392H


- 8 Adjustable Body Massage Nozzles with 2 modes (Jet & Mist)
- Multi-functional non-clogging handheld shower
- Built-in LED temperature display
- Sturdy back-reinforced pipes





Specifications

| Materials | Stainless Steel |
|-------------------------|-------------------------|
| Finish | Metallic Tempered Glass |
| Body Mist Jets/Nozzles | 8 Jets |
| Jets Configuration | Rotatable |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 50 Inches (1270 mm) |
| Width | 10 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 32 lbs |




SPA331B

- 8 Adjustable Body Massage Nozzles with 2 modes (Jet & Mist)
- Advanced thermostatic precision control
- Multi-functional non-clogging handheld shower head
- Built-in LED temperature display
- Sturdy back-reinforced pipes





| Materials | Aluminum Alloy |
|-------------------------------|-------------------------|
| Finish | Metallic Tempered Glass |
| Body Mist Jets/Nozzles | 8 Jets |
| Jets Configuration | Rotatable |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 50 Inches (1270 mm) |
| Width | 10 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 33 lbs |



SPA392R


- 8 Adjustable Body Massage Nozzles with 2 modes (Jet & Mist)
- Multi-functional non-clogging handheld shower head
- Built-in LED temperature display
- Sturdy back-reinforced pipes





Specifications

| Materials | Aluminum Alloy |
|-------------------------|-------------------------|
| Finish | Metallic Tempered Glass |
| Body Mist Jets/Nozzles | 8 Jets |
| Jets Configuration | Rotatable |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 50 Inches (1270 mm) |
| Width | 10 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 32 lbs |



SPS822

- 304 grade stainless steel body with satin finish
- Stainless Steel Controller Knob
- Non-clogging handheld shower head
- Tub spout included


SHOWER PANEL

• Sturdy back-reinforced pipes





| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Satin |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 48 Inches (1220 mm) |
| Width | 9.5 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 13 lbs |
| | |




- 304 grade stainless steel body with satin finish
- Stainless Steel Controller Knob
- Non-clogging handheld shower head
- Tub spout included
- Sturdy back-reinforced pipes






Specifications

| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Satin |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 48 Inches (1220 mm) |
| Width | 9.5 inches (260 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 13 lbs |




SPS88213


- 2 Adjustable Body Spray Nozzles
- 304 Premium Grade Stainless Steel with Brushed Finish
- Easy Installation Replaces Your Existing Shower Head
- Sturdy back-reinforced pipes





| Materials | Stainless Steel |
|-------------------------|-----------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 44 Inches (1120 mm) |
| Width | 4-3/4 inches (120 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 13 lbs |





BLUE DCEAN®

SPS88213B

- 2 Adjustable Body Spray Nozzles
- 304 Premium Grade Stainless Steel with Brushed Finish
- Non-clogging handheld shower head
- Sturdy back-reinforced pipes








Specifications

| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 48 Inches (1220 mm) |
| Width | 8 inches (200 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 17 lbs |



SPS8801

- 8 Adjustable Body Spray Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- Non-clogging handheld shower head











| Materials | Stainless Steel |
|-------------------------|----------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 57 Inches (1450 mm) |
| Width | 8.75 inches (220 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 23 lbs |







- 4 Adjustable Body Spray Nozzles
- 304 Premium Grade Stainless Steel with **Brushed Finish**
- Non-clogging handheld shower head
- Sturdy back-reinforced pipes













Specifications

| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 59 Inches (1500 mm) |
| Width | 8 inches (200 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 21 lbs |





SPS8819


- 4 Adjustable Body Spray Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- All functions are designed to operate simultaneously
- Non-clogging handheld shower head













| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | Yes |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 59 Inches (1500 mm) |
| Width | 8 inches (205 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 26 lbs |





BLUE OCEAN®


SPW8311

- 3 Sets of Body Spray Nozzles
- Advanced thermostatic precision control
- Crafted from premium natural bamboo
- Sturdy back-reinforced pipes
- Non-clogging handheld shower head
- Built-in LED temperature display













Specifications

| Materials | Bamboo |
|--------------------------------|----------------------|
| Finish | Chrome |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 61 Inches (1540 mm) |
| Width | 8.75 inches (220 mm) |
| Depth | 2.75 inches (70 mm) |
| Weight | 27 lbs |



SPS8863


- 4 Sets of Adjustable Body Spray Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- All functions are designed to operate simultaneously
- Non-clogging handheld shower head








| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | Yes |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 63 inches (1500 mm) |
| Width | 8 inches (205 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 23 lbs |









- 4 Sets of Adjustable Body Spray Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- All functions are designed to operate simultaneously.
- Non-clogging handheld shower head













Specifications


| Materials | Stainless Steel |
|-------------------------|-----------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | Yes |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 66.5 Inches (1690 mm) |
| Width | 8.75 inches (220 mm) |
| Depth | 3 inches (75 mm) |
| Weight | 27 lbs |






SPS8879


- 6 Sets of Adjustable Body Spray Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- All functions are designed to operate simultaneously.
- Non-clogging handheld shower head














| Stainless Steel |
|-----------------------|
| Brush |
| No |
| Yes |
| Yes |
| No |
| Yes |
| 28 PSI |
| 72 PSI |
| 64.5 inches (1640 mm) |
| 8.75 inches (220 mm) |
| 3 inches (75 mm) |
| 26 lbs |
| |







- 3 Sets of Adjustable Body Spray Nozzles
- Frame is crafted from a high-grade aluminum alloy
- Advanced thermostatic precision control
- All functions are designed to operate simultaneously.
- Non-clogging handheld shower head









Specifications

| Materials | Aluminum Alloy |
|-------------------------|----------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | Yes |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 59 Inches (1640 mm) |
| Width | 9.75 inches (250 mm) |
| Depth | 4 inches (100 mm) |
| Weight | 32 lbs |




SPS8729

- 2 Sets of Adjustable Body Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- Non-clogging handheld shower head






| MaterialsStainless SteelFinishBrushLCD Temperature DisplayNoOverhead ShowerYesHandheld ShowerYesTub SpoutNoSimultaneous FunctionNoMin Operating Pressure28 PSIMax Operating Pressure72 PSIHeight56 inches (1422 mm)Width8 inches (220 mm)Depth3 inches (75 mm)Weight23 lbs | | |
|--|-------------------------|---------------------|
| LCD Temperature Display Overhead Shower Handheld Shower Tub Spout No Simultaneous Function Min Operating Pressure Max Operating Pressure Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | Materials | Stainless Steel |
| Overhead Shower Handheld Shower Yes Tub Spout No Simultaneous Function Min Operating Pressure Max Operating Pressure Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | Finish | Brush |
| Handheld Shower Tub Spout No Simultaneous Function Min Operating Pressure Max Operating Pressure Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | LCD Temperature Display | No |
| Tub Spout No Simultaneous Function Min Operating Pressure Max Operating Pressure Fig. 12 PSI Height Meight Mei | Overhead Shower | Yes |
| Simultaneous Function Min Operating Pressure 28 PSI Max Operating Pressure 72 PSI Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | Handheld Shower | Yes |
| Min Operating Pressure Max Operating Pressure 72 PSI Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | Tub Spout | No |
| Max Operating Pressure 72 PSI Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | Simultaneous Function | No |
| Height 56 inches (1422 mm) Width 8 inches (220 mm) Depth 3 inches (75 mm) | Min Operating Pressure | 28 PSI |
| Width 8 inches (220 mm) Depth 3 inches (75 mm) | Max Operating Pressure | 72 PSI |
| Depth 3 inches (75 mm) | Height | 56 inches (1422 mm) |
| | Width | 8 inches (220 mm) |
| Weight 23 lbs | Depth | 3 inches (75 mm) |
| | Weight | 23 lbs |





- 3 Sets of Adjustable Body Massage Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- All functions are designed to operate simultaneously.
- Non-clogging handheld shower head









Specifications

| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Brush |
| LCD Temperature Display | No |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | No |
| Simultaneous Function | Yes |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 65 Inches (1640 mm) |
| Width | 6 inches (150 mm) |
| Depth | 3.5 inches (90 mm) |
| Weight | 27 lbs |





SPS851

- 3 Adjustable Body Mist Nozzles
- Advanced thermostatic precision control
- 304 Premium Grade Stainless Steel with Brushed Finish
- Built-in LED temperature display
- Multi-functional non-clogging handheld shower head











| Materials | Stainless Steel |
|-------------------------|---------------------|
| Finish | Satin |
| LCD Temperature Display | Yes |
| Overhead Shower | Yes |
| Handheld Shower | Yes |
| Tub Spout | Yes |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 59 inches (1500 mm) |
| Width | 8.5 inches (220 mm) |
| Depth | 2.5 inches (60 mm) |
| Weight | 20 lbs |
| | |







SC5706


- Easy Connect: Retro-Fit System for Connection to Existing Shower Plumbing
- Adjustable Slide Bar with 3 body nozzles
- Material: Stainless Steel with Brushed Finish
- Standard 1/2" plumbing connection
- Replaces Your Existing Shower Head with an 8-Inch Rain
- Reinforced pipes on back





Specifications

| Material | Stainless Steel |
|---------------------------|--------------------------|
| Finish | Chrome-plated brass hose |
| Body Nozzles | 3 body nozzles |
| Rainfall Shower Head Size | 8" (200 mm) |
| Shower Panel Reach | 22" (560 mm) |
| Overhead Shower | yes |
| Handheld Shower | yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 39 Inches (990 mm) |
| Width | 4.5 inches (110 mm) |
| Depth | 22 inches (560 mm) |
| Weight | 11 lbs |




SC32002

- Easy Connect: Retro-Fit System for Connection to Existing Shower Plumbing
- Adjustable Slide Bar with 3 body nozzles
- Material: Stainless Steel with Brushed Finish
- Standard 1/2" plumbing connection
- Replaces Your Existing Shower Head with an 8-Inch Rain
- Reinforced pipes on back






| Material | Stainless Steel |
|---------------------------|--------------------------|
| Finish | Chrome-plated brass hose |
| Body Nozzles | 3 body nozzles |
| Rainfall Shower Head Size | 8" (200 mm) |
| Shower Panel Reach | 20.5" (520 mm) |
| Overhead Shower | yes |
| Handheld Shower | yes |
| Tub Spout | No |
| Simultaneous Function | No |
| Min Operating Pressure | 28 PSI |
| Max Operating Pressure | 72 PSI |
| Height | 42 Inches (1070 mm) |
| Width | 4.5 inches (110 mm) |
| Depth | 20.5 inches (520 mm) |
| Weight | 10 lbs |



SA001

- 11 Inches
- Adjustable Height and Angle, Compatible with Standard 1/2-14 NPT Pipe Thread
- Heavy-Duty Extension
- Quick Tool-free Installation










Specifications


| Materials | Brass |
|---------------------|----------|
| Finish | Chrome |
| Installation Method | Screw-In |
| Weight | 300 g |



SH6021A

- 8 Inches
- Full Body Chrome Finish
- Ball Joint: Full Brass Swivel
- High pressure and water-saving
- Anti-clog self-cleaning nozzles
- Quick Tool-free Installation









| Materials | Premium ABS |
|---------------------|--|
| Finish | Chrome |
| Installation Method | Screw-In |
| Item Size | Width: 8" (20.5cm) x Length: 8" (20.5cm) |
| Weight | 1 lb |
| Complementary | Swivel Adapter |
| Shape | Rectangular |
| | · |







Kitchen Sink

Discover the heart of your kitchen with our sink, elegantly designed to blend functionality and style, making every wash a seamless experience.



KSA126

- 33 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Two Sink Grids and Two Strainers
- EASY INSTALLATION Require Standard Pipe for Installation










Specifications

| Materials | 304 Grade Stainless Steel |
|---------------------|--|
| Finish | Brushed Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 33" x 20.5" x 10" (84 cm W x 52 cm L x 25.4cm D) |
| Left Bowl Size | 17.5" x 16" |
| Right Bowl Size | 11.5" x 16" |
| Gross Weight | 55 lbs |
| Style | Apron |
| Corner | R10 rounded corners |
| Other | No Faucet Hole |



KSA125

- 36 Inches
- 16 Gauge 304 Premium Grade Stainless Steel

KITCHEN SINK - APRON

- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Two Sink Grids and Two Strainers
- EASY INSTALLATION Require Standard Pipe for Installation














| Materials | 304 Grade Stainless Steel |
|---------------------|--|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 36" x 20-3/4" x 10" (91cm W x 52.5cm L x 25cm D) |
| Left Bowl Size | 19" x 16" |
| Right Bowl Size | 13" x 16" |
| Gross Weight | 64 lbs |
| Style | Apron |
| Other | No Faucet Hole |





KSA124

- 36 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Sink Grid and Strainer
- EASY INSTALLATION Require Standard Pipe for Installation





Specifications










| Materials | 304 Grade Stainless Steel |
|---------------------|--|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 36" x 20-3/4" x 10" (91cm W x 52.5cm L x 25cm D) |
| Inner Bowl Size | 33" x 16" |
| Gross Weight | 58 lbs |
| Style | Apron |



KSA122L

- 32 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Two Sink Grids and Two
- EASY INSTALLATION Require Standard Pipe for Installation













| 304 Grade Stainless Steel |
|--|
| Brush Satin |
| 16 Gauge |
| Undermoun |
| 32" x 19" x 10" (81.3cm W x 48.3cm L x 25.4cm D) |
| 17" x 17" |
| 12" x 17" |
| 41 lbs |
| 10" |
| |







KSA120

- 32 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Two Sink Grids and Two Strainers
- EASY INSTALLATION Require Standard Pipe for Installation





Specifications










| Materials | 304 Grade Stainless Steel |
|---------------------|--|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 32" x 19" x 10" (81.3cm W x 48.3cm L x 25.4cm D) |
| Left Bowl Size | 14 3/8" x 17" |
| Right Bowl Size | 14 3/8" x 17" |
| Gross Weight | 41 lbs |
| Depth | 10" |



KSS802

- 32-1/4 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction

KITCHEN SINK - UNDERMOUNT

- Complementary Two Stainers
- EASY INSTALLATION Require Standard Pipe for Installation













| Materials | 304 Grade Stainless Steel |
|-------------------|--|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Type | Undermount |
| Item Size | 32-1/4" x 18-1/2" x 9" (82cm L x 47cm W x 22.8cm D) |
| Left Bowl Size | 14 5/8" x 17" |
| Right Bowl Size | 14 5/8" x 17" |
| Gross Weight | 22 lbs |
| Depth | 9" |
| Corner | Rounded Corners |







KSS806

- 29-1/4 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Two Stainers
- EASY INSTALLATION Require Standard Pipe for Installation

















Specifications

| Materials | 304 Grade Stainless Steel |
|---------------------|--|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 29-1/4" x 18-1/2" x 9" (74.3cm L x 47cm W x 22.8cm D) |
| Left Bowl Size | 13" x 16-1/2" |
| Right Bowl Size | 13" x 16-1/2" |
| Gross Weight | 22 lbs |
| Depth | 9" |
| Corner | Rounded Corners |





KSS861

- 23-1/4 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary One Strainer
- EASY INSTALLATION Require Standard Pipe for Installation












| Materials | 304 Grade Stainless Steel |
|-------------------|---|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Type | Undermount |
| Item Size | 23-1/4" x 20-7/8" x 9" (59cm L x 53cm W x 22.9cm D) |
| Inner Bowl Size | 21-1/4" x 18-7/8" |
| Gross Weight | 15 lbs |
| Depth | 9" |
| Corner | Rounded Corners |





KSR105

- 32 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Sink Grid and Strainer
- EASY INSTALLATION Require Standard Pipe for Installation














Specifications

| Materials | 304 Grade Stainless Steel |
|---------------------|--|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 32" x 19" x 10" (81.3cm W x 48.3cm L x 25.4cm D) |
| Inner Bowl Size | 30" x 17" |
| Gross Weight | 35 lbs |
| Depth | 10" |



KSR104

- 21 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Sink Grid and Strainer
- EASY INSTALLATION Require Standard Pipe for Installation












Specifications

| Materials | 304 Grade Stainless Steel |
|---------------------|---|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Undermount |
| Item Size | 21" x 20" x 9-1/2" (53.3cm L x 50.8cm W x 24cm D) |
| Inner Bowl Size | 19" x 18" |
| Gross Weight | 26 lbs |
| Depth | 9.5" |





9-1/2" (241mm)

KITCHEN SINK - TOP MOUNT



KSS918

- 31-1/4 Inches
- 16 Gauge 304 Premium Grade Stainless Steel
- Sound Dampening Pads and Undercoating for Sound Reduction
- Complementary Two Strainers
- EASY INSTALLATION Require Standard Pipe for Installation














| Materials | 304 Grade Stainless Steel |
|---------------------|---|
| Finish | Brush Satin |
| Gauge | 16 Gauge |
| Installation Method | Top mount |
| Item Size | 31-1/4" x 20-3/8" x 8" (79.4cm L x 51.8cm W x 20.3cm D) |
| Left Bowl Size | 14" x 15-3/4" |
| Right Bowl Size | 14" x 15-3/4" |
| Gross Weight | 15 lbs |
| Depth | 8" |
| Corner | Rounded Corners |
| | |











Range Hood

Experience pristine kitchen air with our Range Hood, effortlessly combining sleek design and superior extraction for a healthier, fresher cooking environment.



RH76TUC

- 30 Inches
- 500 CFM
- Premium Stainless Steel with Brush Finish
- 6-speed LED Display Touch Screen Control
- Stainless Steel Baffle Filters
- Ventilation Direction: Top or Rear
- Quiet Operation: Noise Level <58 db
















Specifications

| Materials | Stainless Steel |
|------------------------------|-----------------------|
| Finish | Brush |
| Installation Type | Under Cabinet |
| Noise Level | 58 dB |
| Illumination | 2 x 50 Halogen Lights |
| Airflow | 500 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 6 Speeds Touch Screen |
| Height | 7 Inches (175 mm) |
| Width | 29.75 inches (755 mm) |
| Depth | 22 inches (560 mm) |
| Weight | 51 lbs |



RH76UC

- 30 Inches
- 300 CFM
- Premium Stainless Steel with Brush Finish
- 3 Speeds Button Switch
- Stainless Steel Baffle Filters
- Ventilation Direction: Top or Rear
- Quiet Operation: Noise Level <58 db












| Materials | Stainless Steel |
|-----------------------|------------------------|
| Finish | Brush |
| Installation Type | Under Cabinet |
| Noise Level | 58 dB |
| Illumination | 2 x 50 Halogen Lights |
| Airflow | 300 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Height | 7 Inches (175 mm) |
| Width | 29.75 inches (755 mm) |
| Depth | 22 inches (560 mm) |
| Weight | 36 lbs |







RH02I-36

- 36 Inches
- 760 CFM Strong Suction
- 4 LED Lights
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation
















Specifications

| Materials | Stainless Steel |
|------------------------------|--|
| Finish | Brush |
| Installation Type | Island Mount |
| Noise Level | 65 dB |
| Illumination | 4 x 2W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 42.5 inches |
| Min Height | 34 inches |
| Filtration Type | Stainless Steel Baffle Filters |
| Weight | 67 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |



RH02I-30

- 30 Inches
- 760 CFM Strong Suction
- 4 LED Lights
- · Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation














| Materials | Stainless Steel |
|-----------------------|--|
| Finish | Brush |
| Installation Type | Island Mount |
| Noise Level | 65 dB |
| Illumination | 4 x 2W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 42.5 inches |
| Min Height | 34 inches |
| Filtration Type | Stainless Steel Baffle Filters |
| Weight | 62 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |





RH668I-36


- 36 Inches
- 900 CFM Strong Suction
- 4 LED Lights
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation





Specifications

| Materials | Stainless Steel |
|------------------------------|--|
| Finish | Brush |
| Installation Type | Island Mount |
| Noise Level | 65 dB |
| Illumination | 4 x 2W LED Lights |
| Airflow | 900 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 47.5 inches |
| Min Height | 32 inches |
| Filtration Type | Dishwasher-Safe Mesh Filter |
| Weight | 72 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |



RH668I-30

- 30 Inches
- 900 CFM Strong Suction
- 4 LED Lights
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation
















| Materials | Stainless Steel |
|-----------------------|--|
| Finish | Brush |
| Installation Type | Island Mount |
| Noise Level | 65 dB |
| Illumination | 4 x 2W LED Lights |
| Airflow | 900 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 47.5 inches |
| Min Height | 34 inches |
| Filtration Type | Dishwasher-Safe Mesh Filter |
| Weight | 67 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |





RH10I-30


- 30 Inches
- 760 CFM Strong Suction
- 4 LED Lights
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation





Specifications

| Materials | Stainless Steel |
|-----------------------|--|
| Finish | Brush |
| Installation Type | Island Mount |
| Noise Level | 65 dB |
| Illumination | 4 x 2W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 42 inches |
| Min Height | 34 inches |
| Filtration Type | Dishwasher-Safe Mesh Filter |
| Weight | 67 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |



RHL01I-30

- 30 Inches
- 760 CFM Strong Suction
- 2 LED Lights
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation
















| Materials | Stainless Steel |
|-----------------------|---|
| Finish | Brush |
| Installation Type | Island Mount |
| Noise Level | 65 dB |
| Illumination | 2 x 2W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 42.5 inches |
| Min Height | 42 inches |
| Filtration Type | Dishwasher-Safe Mesh Filter |
| Weight | 61 lbs |
| Additional Components | Two charcoal filters and two djustable extensions |





RHKE3


- 30 Inches
- 760 CFM Strong Suction
- Digital 3-Speed Switch
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation





Specifications

| Materials | Stainless Steel |
|-----------------------|--|
| Finish | Brush |
| Installation Type | Wall Mount |
| Noise Level | 65 dB |
| Illumination | 2 x 2W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Touch Switch |
| Max Height | 34.5 inches |
| Min Height | 19 inches |
| Filtration Type | Dishwasher-Safe aluminum Mesh Filter |
| Weight | 44 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |




RHKQ2

- 30 Inches
- 760 CFM Strong Suction
- 3 Speeds Button Switch
- · Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation





| Materials | Stainless Steel |
|-----------------------|--|
| Finish | Brush |
| Installation Type | Wall Mount |
| Noise Level | 65 dB |
| Illumination | 2 x 1.5W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 34 inches |
| Min Height | 18 inches |
| Filtration Type | Dishwasher-Safe aluminum Mesh Filter |
| Weight | 47 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |





RHKL

- 30 Inches
- 760 CFM Strong Suction
- 3 Speeds Button Switch
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation



















Specifications

| Materials | Stainless Steel |
|------------------------------|--|
| Finish | Brush |
| Installation Type | Wall Mount |
| Noise Level | 65 dB |
| Illumination | 2 x 1.5W LED Light |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Max Height | 35 inches |
| Min Height | 26 inches |
| Filtration Type | Dishwasher-Safe aluminum Mesh Filter |
| Weight | 36 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |



RHKC

- 30 Inches
- 760 CFM Strong Suction
- 3 Speeds Button Switch
- Premium Stainless Steel with Brush Finish
- Ducted/Ductless Convertible Duct
- 65 dB Quiet Operation





| Materials | Stainless Steel |
|-----------------------|--|
| Finish | Brush |
| Installation Type | Wall Mount |
| Noise Level | 65 dB |
| Illumination | 2 x 1.5W LED Lights |
| Airflow | 760 CFM |
| Ventilation Pipe Size | 6 inches (diameter) |
| Speed Control | 3 Speeds Button Switch |
| Maximum Height | 34 inches |
| Minimum Height | 18 inches |
| Filtration Type | Dishwasher-Safe aluminum Mesh Filter |
| Weight | 49 lbs |
| Additional Components | Two charcoal filters and two adjustable extensions |

